freestanding cookers

Westinghouse

90CM FREESTANDING COOKERS

Our 90cm freestanding cooker range is for the serious cook. It puts all your cooking needs in one complete workstation, so entertaining and preparing those large family meals becomes a whole lot easier. With a huge 125L gross capacity, super-quick heat-up time and easy-clean features, you'll wonder how you ever did without it.

Our fingerprint-resistant stainless steel models can be completely freestanding or integrated with kitchen cabinetry for that seamless look and are available in both electric and dual fuel.

And, as Winners of the 2012 and 2013 Reader's Digest Trusted Brand for Whitegoods, you can be assured we are voted by and Made for Modern Families.

DESIGNED AND MADE IN AUSTRALIA

Proudly created for Australians by Australians, you can trust the Westinghouse 90cm collection to cook all your favourite meals just the way you like them.

FULL-TOUCH ELECTRONIC CONTROL PANEL

Simple to operate and beautifully designed, the full touch electronic control panel is easy to clean and also features a fully programmable timer.

(Selected models WVE916SA, WFE916SA and WFE946SA)

LARGE OVEN CAPACITY

With a spacious 125L gross capacity*, you can cook large meals with minimum fuss and maximum results. Our ovens have been tested to evenly bake up to 72 mini cupcakes in one go, so they're perfect for those last-minute school fundraisers!

EASY-CLEAN OVEN

Enjoy easy cleaning with one seamless fully sealed oven cavity. With no awkward joints, nooks or crannies to trap grease, a simple wipe is all you need to keep your oven clean.

TWIN FAN SYSTEM FOR EVEN COOKING

Cook each dish to perfection with the Twin Fan System. Fans rotate in opposite directions, distributing heat evenly throughout the oven, so you enjoy great results every time.

HANDY STORAGE COMPARTMENT

Extra storage always comes in handy, so with a clever storage compartment offered in our freestanding models, you can easily stow away any extra pots and pans.

(Excludes model WFE912SA and WVE916SA)

FAST HEAT-UP TIME

Every moment counts at meal times, so while your oven heats up fast you can save time and get on with cooking the dishes you and your family love.

FINGERPRINT-RESISTANT STAINLESS STEEL

Little hands or sticky fingers won't be a problem with easy-clean fingerprint-resistant stainless steel.

COOL TOUCH DOOR

For added safety and confidence in the kitchen, our cool touch door is beautifully designed with a large window, so you can keep a close eye on your cooking.

EASY TO USE HOBS

Designed for maximum ease of use, our gas hobs have either a 5 or 6 burner configuration including a triple ring wok. The flat design trivets make it easy to slide pots from one burner to another. The full glass ceramic hob with touch controls is easy to use and clean.

(Excludes model WVE916SA)

* Based on International Standard IEC 60350-1

90CM FREESTANDING COOKERS
features†

MODEL	WFE916SA	WFE914SA
type	dual fuel	dual fuel
fingerprint-resistant stainless steel finish	✓	✓
HOB~		
type	gas	gas
number of burners/elements	6	5
front left	14.4 MJ/h (wok)	5.1 MJ/h
front right	12.1 MJ/h	12.1 MJ/h
front middle	5.1 MJ/h	
rear middle	9 MJ/h	
middle		14.4 MJ/h (wok)
rear left	9 MJ/h	9 MJ/h
rear right	9 MJ/h	9 MJ/h
control type	knobs	knobs
trivets (for gas models only)	cast iron	cast iron
ignition (for gas models only)	electronic ignition	electronic ignition
flame failure (for gas models only)	✓	✓
wok support (for gas models only)	✓	✓
MAIN OVEN		
type	electric	electric
oven functions	multifunction 10	multifunction 8
twin fan system	✓	✓
capacity*		
– gross (litres)	125	125
– usable (litres)	116	116
timer	fully programmable touch control	3 button touch control
lights	2 x 25W halogen	2 x 25W halogen
glass layers in door	3	3
catalytic liners	✓ (sides and rear)	
grill in oven	✓	✓
removable side racks	✓	✓
shelf positions	7	7
GENERAL FEATURES		
australian made	✓	✓
removable stainless steel splashback	✓	✓
wire shelves	2	2
grill dish	2 x half-width	2 x half-width
grill insert	2 x half-width	2 x half-width
grill rack	1 x full-width	1 x full-width
storage compartment	✓	✓
removable stainless steel kickplate	✓	✓
adjustable feet	✓	✓
CONNECTION		
type	hardwire	hardwire
maximim power rating (kW)	3.1	3
maximum gas rating (NG)	58.6 Mj/h	49.6 Mj/h
DIMENSIONS		
overall h x w x d (mm)	910–930^ x 895 x 600	910–930^ x 895 x 600
removable splashback height (mm)	60	60
freestanding cut-out (with feet attached) h x w x d (mm)	900 nominal x 900 min x 600	900 nominal x 900 min x 600
freestanding cut-out (on plinth, feet removed) h x w x d (mm)	755 max x 900 min x 600	755 max x 900 min x 600

* IMPORTANT The above dimensions are a guide only. Depth excludes knobs and handles. For complete dimensions and installation requirements, refer to the information provided with the product or visit www.westinghouse.com.au

~ Burner outputs shown above are for natural gas connection.

^ Height is adjustable and refers to height to hob. This does not include the height of the trivets above the hob.

* Based on International Standard IEC 60350-1

† Refer to the product information on the back page of this brochure.

90CM FREESTANDING COOKERS

features†

MODEL	WFE912SA	WFE946SA
type	dual fuel	electric
fingerprint-resistant stainless steel finish	✓	✓
HOB~		
type	gas	ceramic
number of burners/elements	5	5
front left	5.1 MJ/h	1200W
front right	12.1 MJ/h	1800W
front middle		
rear middle		
middle	14.4 MJ/h (wok)	1400/2200W (dual zone)
rear left	9 MJ/h	800/1600/2300W (triple zone)
rear right	9 MJ/h	1200W
control type	knobs	touch
trivets	cast iron	
ignition	electronic ignition	
flame failure		
wok support	✓	
MAIN OVEN		
type	electric	electric
oven functions	multifunction 8	multifunction 10
twin fan system	✓	✓
capacity*		
– gross (litres)	125	125
– usable (litres)	116	116
timer	3 button push control	fully programmable touch control
lights	2 x 25W halogen	2 x 25W halogen
glass layers in door	3	3
catalytic liners		✓ (sides and rear)
grill in oven	✓	✓
removable side racks	✓	✓
shelf positions	7	7
GENERAL FEATURES		
australian made	✓	✓
removable stainless steel splashback	✓	✓
wire shelves	2	2
grill dish	2 x half-width	2 x half-width
grill insert	2 x half-width	2 x half-width
grill rack	1 x full-width	1 x full-width
storage compartment		✓
removable stainless steel kickplate		✓
adjustable feet	✓	✓
CONNECTION		
type	hardwire	hardwire
maximim power rating (kW)	3	12.3
maximum gas rating (NG)	49.6 Mj/h	
DIMENSIONS^		
overall h x w x d (mm)	910–930^ x 895 x 600	910–930^ x 895 x 600
removable splashback height (mm)	60	60
freestanding cut-out (with feet attached) h x w x d (mm)	900 nominal x 900 min x 600	900 nominal x 900 min x 600
freestanding cut-out (on plinth, feet removed) h x w x d (mm)	755 max x 900 min x 600	755 max x 900 min x 600

* IMPORTANT The above dimensions are a guide only. Depth excludes knobs and handles. For complete dimensions and installation requirements, refer to the information provided with the product or visit www.westinghouse.com.au

~ Burner outputs shown above are for natural gas connection.

^ Height is adjustable and refers to height to hob. This does not include the height of the trivets above the hob.

* Based on International Standard IEC 60350-1

† Refer to the product information on the back page of this brochure.

Model shown: freestanding cooker WFE916SA, rangehood WRFG943S.

60CM AND 54CM FREESTANDING COOKERS

Our 60cm and 54cm freestanding cooker range features convenient separate grills and the same BOSS® oven platform as the built-in models. Selected 60cm models can be freestanding or integrated into kitchen cabinetry.

Both the 60cm and 54cm range is available in full electric and full gas combinations, while selected 60cm models are also available in a dual fuel combination – electric oven and gas cooktop.

AUSTRALIAN MADE®

DESIGNED AND MADE IN AUSTRALIA

Proudly created for Australians by Australians, you can trust Westinghouse freestanding cookers to cook all your favourite meals just the way you like them.

SEPARATE GRILLING COMPARTMENT

All the 54cm, 60cm and elevated cookers have a separate grilling compartment for added practicality. You can bake and grill at the same time, and it's easier to keep the oven cleaner.

LARGE CAPACITY OVENS

Our freestanding cookers allow you to cook large meals easily with a generous 80L gross capacity oven in the 60cm, 54cm and elevated range.

EASY CLEAN CERAMIC SURFACE

Not only aesthetically pleasing, the durable glass surface is easy to clean and maintain ensuring your kitchen is always looking its best.

(Selected models only)

EASY CLEANING

Enamel surfaces are easy to maintain, and formed runners^ on the inside (instead of racks) means easier cleaning.

^ Selected models only

PROGRAMMABLE TIMERS

With 3 simple-to-operate buttons, you can automatically set the oven to turn on or off, or simply use the clock as a timer.

(Selected models only)

TRIPLE RING WOK BURNER

On selected gas models, a high power triple-ring burner allows you to stir fry like a professional.



HOT SURFACE INDICATORS

Avoid unnecessary accidents in the kitchen with hot surface indicators that clearly show if the hotplates are activated or still hot.

(Selected models only)

^ All 54cm have formed runners, all 60cm have side racks and all elevated cookers have formed runners.
* Refer to the product specifications for more information.

60CM FREESTANDING COOKERS
features†

MODEL	PSP632W/S	DSP635W/S#	GSP625W/S*~	GSP627S*~
type	electric with separate grill	dual fuel with electric separate grill	gas with electric separate grill	gas with electric separate grill
available finishes	white/fingerprint-resistant stainless steel^	white/fingerprint-resistant stainless steel^	white/fingerprint-resistant stainless steel^	fingerprint-resistant stainless steel^
BOSS® oven system	✓	✓	✓	✓
HOB				
type	ceramic	gas	gas	gas
number of burners/elements	4	4	4	4
left front	1200W	14.4MJ/h wok	14.4MJ/h wok	14.4MJ/h wok
left rear	2000W	5.1MJ/h	5.1MJ/h	5.1MJ/h
right front	2200/1000W	9.0MJ/h	9.0MJ/h	9.0MJ/h
right rear	1200W	12.7MJ/h	12.7MJ/h	12.7MJ/h
trivets		cast iron	enamel	cast iron
ignition		integrated electronic	integrated electronic	integrated electronic
hot surface indicator	✓			
MAIN OVEN				
type	electric	electric	gas	gas
oven functions	fan forced	fan forced	fan	fan
capacity				
– gross (litres)	80	80	80	80
– usable (litres)	66	66	59	59
oven burner output (NG)			10.5MJ/h	10.5MJ/h
oven ignition			electronic	electronic
removable side racks	✓	✓	✓	✓
catalytic liners	optional accessory	optional accessory	optional accessory	optional accessory
timer	120 min auto-off	120 min auto-off	120 min auto-off	programmable
lights	1	1	1	1
door glass layers	2	2	2	3
oven flame failure device			✓	✓
GENERAL FEATURES				
australian made	✓	✓	✓	✓
separate grill (electric)	✓	✓	✓	✓
telescopic grill	✓	✓	✓	✓
number of shelves	2	2	2	2
grill dish	✓	✓	✓	✓
grill insert	anti-spatter	anti-spatter	anti-spatter	anti-spatter
oven tray	full-width baking tray	full-width baking tray	full-width baking tray	full-width baking tray
electrical connection	hardwire	20A plug & lead	10A plug & lead	10A plug & lead
maximum power rating	10.7kW	4.1kW	1.9kW	1.9kW
maximum gas rating (NG)		40.6MJ/h	51.1MJ/h	51.1MJ/h
DIMENSIONS ^				
height to hob° x w x d depth excluding handles (mm)	905 x 598 x 596	905 x 598 x 596	905 x 598 x 596	905 x 598 x 596

* This gas product is only suitable for use on normal 240V AC mains supply. The use of inverters, UPS or generators must be checked to ensure the waveform is a pure sinusoidal output to confirm it is compatible with the electronics within this product. Connection to any power supply that does not meet the above requirements may result in failure of the product to operate and or permanent damage to electronics within the product and may void the product warranty. No flue is required for Westinghouse gas ovens.

For DSP635 models, hotplates can be converted to LP gas at installation. Injector kit supplied with the unit.

~ For GSP625 and GSP627 models, it must be specified at time of purchase if LP gas is required as these models cannot be converted.

^ Front surface only (not hob).

† Refer to the product information on the back page of this brochure.

60CM ELECTRIC FREESTANDING COOKERS

features†

MODEL	PAK808W	PAK806W	PAK804W
nominal width (mm)	600	600	600
available finishes	white	white	white
HOB			
type	ceramic	ceramic	coil
number of elements	4	4	4
left front	750W/1450W (dual)	750W/1450W (dual)	2050W
left rear	1200W	1200W	1250W
right front	1200W	1200W	2050W
right rear	1800W	1800W	1250W
hot surface indicator	✓		
MAIN OVEN			
oven functions	fan forced	fan forced	fan forced
capacity			
– gross (litres)	80	80	80
– usable (litres)	66	66	66
timer	programmable	60 minute	60 minute
oven light	✓	✓	✓
shelf support	wire racks	wire racks	wire racks
GENERAL FEATURES			
australian made	✓	✓	✓
separate grill	✓	✓	✓
rear control safety system	✓	✓	✓
anti-spatter grill insert	✓	✓	
warming/storage drawer	warming	storage	storage
number of shelves	2	2	2
CONNECTION			
type	hardwire	hardwire	hardwire
maximum power rating	11.2kW	10.8kW	11.1kW
DIMENSIONS†			
overall h x w x d (mm)	1140 x 596 x 630	1140 x 596 x 630	1140 x 596 x 630
height to hob (mm)	913	913	913

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.
† Refer to the product information on the back page of this brochure.

CATALYTIC LINER KIT	DESCRIPTION	MODELS COMPATIBLE WITH THE CATALYTIC LINER KIT
ACC041	side and rear liners	Freestanding Electric Ovens: DPS635, PAK804, PAK806, PAK808, PSP632
ACC042	sider liners	Freestanding Electric Ovens: DSP635, PAK804, PAK806, PAK808, PSP632 Freestanding Gas Ovens: GSP625, GSP627
ACC043	side and rear liners	Freestanding Gas Ovens: GSP625, GSP627

54CM ELECTRIC FREESTANDING COOKERS

features†

MODEL	WLE525WA	WLE527WA
nominal width (mm)	540	540
available finishes	white	white
oven type	electric	electric
grill type	separate electric grill	separate electric grill
HOB		
type	coil	coil
number of elements	4	4
left front	1250W	1250W
left rear	1250W	1250W
right front	2050W	2050W
right rear	1250W	1250W
power on indicator	✓	✓
MAIN OVEN		
oven functions	conventional	fan forced
capacity		
– gross (litres)	80	80
– usable (litres)	66	66
timer	60 minute	programmable
formed runner shelf support	✓	✓
oven light	✓	✓
door glass layers	2	2
GENERAL FEATURES		
australian made	✓	✓
easy reach rear controls	✓	✓
number of shelves	2	2
grill dish	✓	✓
grill insert	wire	wire
CONNECTION		
type	hardwire	hardwire
maximum power rating	9.4kW	9.9kW
grill power	1.8kW	1.8kW
DIMENSIONS†		
overall h x w x d (mm)	1150 x 540 x 620	1150 x 540 x 620
height to hob (mm)	910	910
height of splashback (mm)	240	240

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.
† Refer to the product information on the back page of this brochure.

54CM ELECTRIC FREESTANDING COOKERS
features†

MODEL	WLE535WA	WLE537WA	WLE547WA
nominal width (mm)	540	540	540
available finishes	white	white	white
oven type	electric	electric	electric
grill type	separate electric grill	separate electric grill	separate electric grill
HOB			
type	solid	solid	ceramic
number of elements	4	4	4
left front	1000W	1000W	1200W
left rear	1500W	1500W	2000W
right front	2000W	2000W	1200W
right rear	1000W	1000W	1200W
hot surface indicator			✓
power on indicator	✓	✓	
MAIN OVEN			
oven functions	conventional	fan forced	fan forced
capacity			
– gross (litres)	80	80	80
– usable (litres)	66	66	66
timer	60 minute	programmable	programmable
formed runner shelf support	✓	✓	✓
oven light	✓	✓	✓
door glass layers	2	2	2
GENERAL FEATURES			
australian made	✓	✓	✓
easy reach rear controls	✓	✓	✓
number of shelves	2	2	2
grill dish	✓	✓	✓
grill insert	wire	wire	wire
CONNECTION			
type	hardwire	hardwire	hardwire
maximum power rating	9.1kW	9.6kW	9.7kW
grill power	1.8kW	1.8kW	1.8kW
DIMENSIONS†			
overall h x w x d (mm)	1150 x 540 x 620	1150 x 540 x 620	1150 x 540 x 620
height to hob (mm)	910	910	910
height of splashback (mm)	240	240	240

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.
† Refer to the product information on the back page of this brochure.

Model shown: freestanding cooker WLE547WA.

54CM GAS FREESTANDING COOKERS
features†

MODEL	WLG503WA	WLG505WA	WLG517WA
nominal width (mm)	540	540	540
available finishes	white	white	white
oven type	gas	gas	gas
grill type	separate gas grill	separate gas grill	separate gas grill
HOB			
type	gas	gas	gas
number of burners	4	4	4
left front	12.7MJ/h	12.7MJ/h	14.4MJ/h (wok)
left rear	5.1MJ/h	5.1MJ/h	5.1MJ/h
right front	9.0MJ/h	9.0MJ/h	9.0MJ/h
right rear	9.0MJ/h	9.0MJ/h	9.0MJ/h
hob ignition	manual	electronic	electronic
trivets	enamel	enamel	enamel
MAIN OVEN			
oven functions	conventional	conventional	fan bake and conventional
capacity			
– gross (litres)	80	80	80
– usable (litres)	59	59	59
timer		60 minute	60 minute
formed runner shelf support	✓	✓	✓
oven/grill ignition	piezo	electronic	electronic
oven flame failure safety device	✓	✓	✓
oven light		✓	✓
door glass layers	2	2	2
GENERAL FEATURES			
australian made	✓	✓	✓
number of shelves	2	2	2
grill dish	✓	✓	✓
grill insert	wire	wire	wire
CONNECTION			
type	not required	10A plug	10A plug
maximum power rating	0kW	0.03kW	0.05kW
maximum gas rating	59.1MJ	59.1MJ	60.8MJ
oven burner output	11.8MJ/h	11.8MJ/h	11.8MJ/h
grill power	11.1MJ/h	11.1MJ/h	11.1MJ/h
DIMENSIONS†			
overall h x w x d (mm)	1150 x 540 x 620	1150 x 540 x 620	1150 x 540 x 620
height to hob (mm)	910	910	910
height of splashback (mm)	240	240	240

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.
Burner outputs shown above are for natural gas connection.

† Refer to the product information on the back page of this brochure.

Model shown: freestanding cooker WLG517WA

ELEVATED ELECTRIC COOKERS features†

MODEL	PEK1350W-L/R	PEK1370W-L/R
nominal width (mm)	1085	1085
available finishes	white	white
HOB		
type	solid	ceramic
number of elements	4	4
left front	1000W	1200W
left rear	1500W	2000W
right front	2000W	1200W
right rear	1000W	1200W
hot surface indicator		✓
MAIN OVEN		
oven functions	fan forced	fan forced
capacity		
– gross (litres)	80	80
– usable (litres)	66	66
timer	120 minute auto-off	programmable
oven light	✓	✓
shelf support	formed runners	formed runners
GENERAL FEATURES		
australian made	✓	✓
separate grill	✓	✓
wire grill insert	✓	✓
number of shelves	2	2
CONNECTION		
type	hardwire	hardwire
maximum power rating	10.0kW	10.7kW
DIMENSIONS†		
overall h x w x d (mm)	540 x 1085 x 610	540 x 1085 x 610

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.
Burner outputs shown above are for natural gas connection.

† Refer to the product information on the back page of this brochure.

ELEVATED GAS COOKERS features†

MODEL	GEK1235W-L/R	GEK1385W-L/R
nominal width (mm)	1085	1085
available finishes	white	white
HOB		
type	gas	gas
number of burners	4	4
left front	12.7MJ/h	12.7MJ/h
left rear	5.1MJ/h	5.1MJ/h
right front	9.0MJ/h	9.0MJ/h
right rear	9.0MJ/h	9.0MJ/h
enamelled wire trivets	✓	✓
ignition	manual	electronic
MAIN OVEN		
oven functions	conventional	fan bake & conventional
capacity		
– gross (litres)	80	80
– usable (litres)	59	59
timer	60 minute	60 minute
oven light		✓
ignition	piezo	electronic
shelf support	formed runners	formed runners
GENERAL FEATURES		
australian made	✓	✓
separate grill	✓	✓
wire grill insert	✓	✓
number of shelves	2	2
CONNECTION		
electrical	not required	10A plug
gas rating	59MJ	59MJ
DIMENSIONS†		
overall h x w x d (mm)	540 x 1085 x 610	540 x 1085 x 610

Dimensions refer to overall dimensions of the product, not actual cut-out sizes. Depth excludes knobs and handles.
Burner outputs shown above are for natural gas connection.

† Refer to the product information on the back page of this brochure.

For more information on all Westinghouse appliances, or for dimension and installation information, call into your retailer, phone or email our customer care team or visit our website:

phone: 1300 363 640
fax: 1800 350 067
email: customercare@electrolux.com.au
web: www.westinghouse.com.au

Westinghouse. We are part of the Electrolux family.
Share more of our thinking at www.electrolux.com.au

Electrolux TOP SERVICE

TOP SERVICE
Top Service encompasses the after sales service provided by The Electrolux Group to consumers including delivery, home service and spare parts.

WARRANTY
Electrolux Home Products Pty Ltd warrants that for domestic application, the Westinghouse Freestanding Cookers featured in this brochure are free from defects in materials and workmanship for a period of 24 months from the date of first purchase, subject to the conditions set out in the warranty card accompanying the product when purchased and Australian Consumer Law.

†PRODUCT INFORMATION
The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Competition and Consumers Act 2010, Australian Consumer Law and Regulations.

© 2014 Electrolux Home Products Pty Ltd. ABN 51 004 762 341

WSTOVE_Mar14